APPENDIX D:

preventative care checklist for transfeminine patients

For annual health assessments of transfeminine patients, applying to patients who were assigned male at birth and have a gender identity that is female or on the feminine spectrum, who may or may not have accessed hormonal and/or surgical treatments for gender dysphoria/gender incongruence.

Prepared by: Dr. A. Bourns · Adapted from the Preventive Care Checklist Form © 2016

(see Ridley, J, Ischayek, A., Dubey, V., Iglar, K., Adult health Checkup: Update on the Preventive Care Checklist Form© Canadian Family Physician, 2016 Apr; 62:307-313)

Please note:

Bold = transgender-specific considerations, see Explanation Sheet for detailed recommendations

Unbolded items should be followed according to the most recent update to the original Preventive Care Checklist©

| IDENTIFYING DATA: | MEDICAL TRANSITION HISTORY: Androgen Blocker: | | | | | | |
|----------------------|--|---------------|------|------------------|--|--|--|
| Name: | | | | | | | |
| Tel: | Spironolactone | ☐ Cyproterone | | □ N/A | | | |
| DOB: | Estrogen: | O Yes | O No | | | | |
| Age: | If Yes, Start Date: | | | | | | |
| Date of Examination: | Orchiectomy: | O Yes | O No | | | | |
| | Vaginoplasty: | O Yes | O No | | | | |
| | Breast Aug: | O Yes | O No | | | | |
| CURRENT CONCERNS | LIFESTYLE/HAB | ITS/DSVC | HOSO | CIAI · | | | |
| CORREIT CONCERNS | Diet: | | | | | | |
| | Fat/Cholesterol | | | | | | |
| | Fiber | | | | | | |
| | Calcium | | | | | | |
| | Sodium | | | | | | |
| | Exercise: | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | Social supports: | | | | | | |
| | Family: | | | | | | |
| | Relationships: | | | | | | |
| | Sexual History: | | | | | | |
| | Family Planning/Contro | aception: | | | | | |
| | Name change/identification: | | | | | | |
| | Sleep: | | | | | | |
| | Smoking: | | | | | | |
| | Alcohol: | | | 40/ / 5/: | | | |
| | Drugs: | | | ≤10/week, ≤2/day | | | |
| | 21495 | | | | | | |

| MENTAL HE | ALTH | | | EDUCATION/COUNSELLING |
|--|-------------|--------------------|------------|--|
| Screen for: | | | | Behavioural |
| Depression | | O Positive | O Negative | adverse nutritional habits |
| Suicidal Ideation | 1 | O Positive | O Negative | dietary advice on fat/choleseterol |
| Self-harm | | O Positive | O Negative | ☐ adequate calcium intake (1200 mg daily diet + supp) |
| Anxiety | | O Positive | O Negative | adequate vitamin D |
| Persistent Gende | er | | | (1000 IU daily) hormone adherence |
| Dysphoria | | O Positive | O Negative | regular, moderate physical activity |
| Experiences/Imp of transphobia | acts | O Positive | O Negative | avoid sun exposure, use protective clothing safe sex practices/STI counselling/PrEP indications |
| UPDATE CU | MULATI\ | /E PATIENT P | ROFILE | Overweight (BMI 25-29) or Obese (BMI 30-39) |
| ☐ Family Histor | ry | | | Overweight (BMI 25-29) Obese (BMI 30-39) |
| ☐ Medications☐ Hospitalizations | /C | | | structured behavioural interventions for weight loss |
| ☐ Hospitalization ☐ Allergies | ons/Surgen | les | | screen for mental health contributors |
| _ | | | | multidisciplinary approach |
| FUNCTIONA | L INQUI | RY | | Underweight |
| 1 | Normal I | Remarks: | | ☐ Underweight (BMI<18) ☐ screen for eating disorders |
| HEENT: | | | | Screen for eating disorders |
| CVS: | | | | Smoking |
| Resp: | | | | ☐ smoking cessation ☐ nicotine replacement therapy/other medications |
| Breasts: | | | | dietary advice on fruits and green leafy vegetables |
| GI: | | | | referral to validated smoking cessation program |
| GU: | | | | Alcohol & other substances |
| Sexual Function: | . 🗆 . | | | case finding for problematic substance use |
| MSK: | | | | counselling for problematic substance use |
| Neuro: | | | | provide naloxone kit if indicated |
| Derm: | | | | Elderly |
| Constitutional Sx: | : 🗆 | | | cognitive assessment (if concerns) |
| | | | | fall assessment (if history of falls) |
| | | | | advanced care planning |
| PHYSICAL EX | XAMINA | TION: | | Oral hygeine |
| • | | quired, taking int | | brushing/flossing teeth |
| pre-existing cond | ditions and | presenting comp | olaints | fluoride (toothpaste/supplement) tooth scaling and prophylaxis |
| BP | | | | smoking cessation |
| WT | | ВМІ | | Personal safety |
| ☐ Or See EMR | Vitals | | | hearing protection |
| | | | | noise control programs |
| | | | | seat belts injection safety |
| May include: | | | | bathroom safety |
| • | | | | Parents with children |
| Tanner sta | ge | | | poison control prevention |
| Breast circ | umference | - | | smoke detectors |
| Areolar dia | ametre | | | non-flammable sleepwear |
| | | | | hot water thermostat settings (<54°C) |
| Ano-rectum | | | | |

LABS / INVESTIGATIONS

| | Mammogram (estrogen ≥5 years total and avg risk: age 50-64 q2 yrs) | | Mammogram (estrogen ≥5 years total and avg risk age: 65-74 q2 yrs | | |
|---|--|--|---|--|--|
| ⊐ | Fecal immunochemical test (FIT) (age 50-64 q2 yrs) OR ☐ Sigmoidoscopy OR ☐ Colonoscopy | | Fecal immunochemical test (FIT) (up to 74 yrs q2 yrs) OR ☐ Sigmoidoscopy OR ☐ Colonoscopy | | |
| ⊐ | GC/CT/Syphilis/HIV/HBV/HCV screen (high risk) | | GC/CT/Syphilis/HIV/HBV/HCV screen (high risk) | | |
| ⊐ | Bone Mineral Density if at risk | | Bone Mineral Density | | |
| | | | Audioscope (or inquire/whispered voice test) | | |
| | Consider Anal Pap if history of receptive anal sex, q2-3 yrs or yearly if HIV+ (age range not defined) | | | | |

ANNUAL TRANS BLOODWORK (ALL AGES, ASSUMING 12 MONTHS ON HORMONE THERAPY) $\,$

| Lab Test | Indication | | |
|--|---|--|--|
| □ свс* | on cypro or first year on hormone therapy | | |
| ☐ Cr, lytes** | on spiro or first year on cypro | | |
| ☐ ALT+/-AST | on estrogen or cypro | | |
| Lipid Profile | at 12 mos, then per routine guidelines | | |
| ☐ Hba1c or FPG | at 12 mos, then per routine guidelines | | |
| ☐ Estradiol | on estrogen | | |
| ☐ Prolactin | on cypro | | |
| ☐ Total testosterone | on antiandrogen | | |
| *Hb/Hct - use female reference for LLN and male reference for ULN **Cr - use male reference range for ULN | | | |

≤64 YEARS

☐ Tetanus vaccine q10 yrs

≥65 YEARS

☐ Tetanus vaccine q10 yrs

| Influenza vaccine q1 yr | Influenza vaccine q1 yr |
|--|---|
| Acellular pertussis vaccine | Pneumococcal vaccine |
| Varicella vaccine (2 doses) | Acellular pertussis vaccine |
| Human papillomavirus vaccine (consider up to age 45 yrs, publicly covered ≤26 yrs if sexually active with MSM) | Varicella vaccine (2 doses)) |
| Measles/mumps/rubella vaccine | Herpes zoster vaccine (publicly covered 65-70yrs) |
| Meningococcal vaccine | |
| Herpes zoster vaccine (consider ≥60 yrs) | |
| Hepatitis A/Hepatitis B Hep A immunity Hep B immunity | |

IMMUNIZATIONS

ASSESSMENT AND PLANS